

The Principal,
GOVT. MODEL SANSKRITI SR.SEC. SCHOOL SADHAURA
HARYANA, YAMUNANAGAR, 133204
(M:)

SUBJECT: -Extension of Regular Affiliation up to Senior Secondary Level.

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	520141
School No	44117
Affiliated for	Extension of Regular Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2024 to 31.03.2029

The above sanction is subject to fulfillment of following conditions:-

- The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws- 2018.
- The school shall follow all the provisions of Affiliation Bye-Laws- 2018, Examination Bye-Laws, circulars, guidelines, instructions and other amendments issued from time to time by the Board.
- The School shall possess following valid mandatory documents at all times :
 - No Objection Certificate
 - Recognition Certificate
 - Land Certificate
 - Fire Safety Certificate
 - Building Safety Certificate
 - Certificate of Registration of Society/Trust/Company
 - Safe Drinking Water and Sanitary Condition Certificate
- The School shall also ensure the compliances with the Board's Bye-laws in respect of following facilities and infrastructure within 3 months and submit compliance on SARAS portal.
 - Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.
 - Ramps at the entrance(s) as well as Ramps/lifts for CWSN, to access the upper floors of the school (in case of a multistoried school) (Circular No. CBSE/AFF-05/2023 dated 06.03.2023).
 - Separate toilets for CWSN, boys and girls on every floor (in case of multistoried schools) (Circular No. CBSE/AFF-05/2023 dated 06.03.2023).
 - Appropriate laboratory infrastructure for Secondary School (Composite Science Lab, Mathematics Lab, Computer Lab) and for Senior Secondary School (Composite Science Lab, Mathematics Lab, Computer Lab, Physics Lab, Chemistry Lab, Biology Lab.) (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
 - Well stocked library with adequate reading area. (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
 - Well-developed indoor and outdoor sports facilities. (Circular no. CBSE/AFF-11/2022 dated 04.10.2022)
 - Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)

Failure to comply within the prescribed time may invite financial penalty @ 50,000/- per month until compliance is submitted and may debar the school from filling the registration and LOC of students' class IX to class XII, as the case may be.

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)



Note :-

1. The School is required to apply online for extension of affiliation before its expiry along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.
4. The school shall not remove the documents and videography links in the mandatory disclosure section of its website.

This is an electronically generated document. It does not need any signature.

To verify the authenticity of the document , please visit (<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport>).

SELF - CERTIFICATION FORMAT


Category of application : Extension of Affiliation

We (i) RAM RATTAN GREWAL (Principal) of the school GOVT. MODEL SANSKRITI SR.SEC. SCHOOL SADHAURA certify that :

1. The following uploaded documents are genuine and valid
 - * Establishment letter issued by the appropriate authority i.e Kendriya Vidyalaya Sangathan/Navodaya vidyalaya Samiti /Directorate of Education /Education Department:
 - * Approval letter issued by appropriate Govt authority : ADDITIONAL CHIEF SECRETARY TO GOVT HARYANA
 - * Fire Safety Certificate No.: FS/2023/315
 - * Fire Safety Certificate Issuing Authority : FIRE STATION OFFICER YANR
 - * Fire Safety Certificate Expiry Date: 04/05/2026
 - * Building Safety Certificate No.: 4327
 - * Building Safety Certificate Issuing Authority (Not below the rank of Asstt. Engineer in PWD) : EXECUTIVE ENGINEER PRVL DIV HR PWD B AND R Br NARAIN GARH
 - * Building Safety Certificate Expiry Date: 11/10/2025
2. The mandatory Public disclosure has been displayed on the school's website and it's link has been filled in the Part A of the affiliation application
3. That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
4. That if any of the information is found to be false, misleading and /or that the fail(s) to disclose all the information and /or suppress any information and /or misrepresent the information, the Board shall also be free to take any action including withdrawal of affiliation

Names and Signature(s) :

Principal


Principal
G.M.S.S.S.School
Sadhaura (263)

Date :07/06/2023

Place : YAMUNANAGAR , HARYANA



To

The Principal
Govt.M.S.Sr.Sec.School
Sadhaura

Memo No.

4327

Date

12-10-2020

Sub: -

Structure safety certificate for school building.

Ref:-

Your office letter No.2877 dated 19.09.2020 address to SDE PWD B&R
Sadhaura

In this connection it is intimated that the building of GMSS Schol Sadhaua has been inspected by the S.D.E. Sadhaura alongwith concerned JE and on visual inspection and reported that the structure of building apparently seems safe and sound.

Hence the it is certified that the building of GMSS Schol Sadhaua is safe.

DA/Nil

Executive Engineer.
Provl.Divn.Hr.PWD B&R Br.
Naraingarh

Endst.No.

Dated

Sadhaura

Copy is forwarded to S.D.E PWD B&R, Naraingarh for information wrt his letter No. 1108 dated 09.10.2020.

DA/Nil

Executive Engineer.
Provl.Divn.Hr.PWD B&R Br.
Naraingarh

Principal
M.S.S.S.School
Sadhaura (263)

From Assistant Divisional Fire Officer/Fire Station Officer
Fire Station Yamuna Nagar

To M/s Government Model Sanskriti Sr Sec School
Sadhaura Distt Yamunanagar

Memo No. FS/2023/315 dated : 05/05/2023

Subject: Renewal of Fire Safety Certificate Under 15 mtrs. height from the fire Safety Point of View of the Group B-Educational Building at Sadhaura Distt Yamunanagar of Government Model Sanskriti Sr Sec School :

Reference to you online No 191112323000013 dated 04/05/2023 on the subject cited above.

Tower Name	Floor Detail	Height	Ground Coverage
Block-1	GF	11	8093
Basement Level	Basement Area	Remarks	
na	na	na	

Your site for the Renewal of the Fire Safety Certificate has been inspected by the Team of Fire Station Officers, Fire Station Yamuna Nagar from fire safety Point of View. The means of escape and Fire Protection system were checked and found as per the National Building Code of India, Part- IV guidelines.

In view of the satisfactory fire protection system / arrangement mentioned as above, this office has no objection for occupation from the Fire Safety point of view, with the following conditions:-

- 1) The owner/occupier shall keep duly trained Fire Staff in all three shifts.
- 2) The Fire Protection System tested during inspection shall be maintained properly & always should be in good working condition.
- 3) If any lapse is found in the fire protection system at the time of inspection or detected during outbreak of fire, action will be taken as per rules against you.
- 4) You are directed to apply for Renewal of Fire Safety Certificate in future before 2 month of expiry of your Fire Safety Certificate.
- 5) The open set back area is not checked at our end as it shall be checked by concerned building department.
- 6) The owner/occupier shall strictly follow the other applicable rules/ regulations/ byelaws laid down regarding fire safety system. If you fail to comply with any of the above terms & conditions you will be liable to be punished as per Section 30,31 & 47 of fire & Emergency Services Act 2022.
- 7) You have to perform quarterly Fire Drill in your building as per NBC with intimation to Fire Department and video graphy evidence to be kept as a record which shall be produced at the time of next Renewal; Officials/Residents/R.W.A. should be mentioned in the drill.
- 8) If the Infringements of Byelaws remains un- noticed the Authority reserves the right to amend the Fire Safety Certificate as and when any such Infringements comes to notice after giving an opportunity of being heard and the Authority shall stand Indemnified against any claim on this account.
- 9) The owner or occupier of the building shall give a self-declaration certificate annually to the effect that the fire fighting system installed in his building is working in good condition and there is no addition/alteration in the building. The Fire Officer may randomly check such building. In case there is any addition/alteration beyond permissible limits under the Haryana Building Code, 2017, the fire safety certificate shall cease to exist and the owner shall apply for approval of revised Fire Fighting Scheme as per the provisions of section 18.

The above Renewal of Fire Safety Certificate is valid for **Three** year from the date of issue of this letter Applying renewal of the same well in time shall be the responsibility of owner/occupier.

Remarks:- Regarding the renewal of Fire NOC



FSO Yamuna Nagar


Exercising t
Station Yamuna Nagar
Digitally signed by P. K. DUGGAL
Date: 2023.05.05 10:11:31 +05:30
Reason: Digital Verification



Scanned with OKEN Scanner

TO WHOM IT MAY CONCERN

It is to certify that "safe drinking water" is being supplied by
Public Health Engineering Deptt in G.M.S.S.S.S., Sadhaura Tehsil,
Bilas Pur Distt. Yamuna Nagar. As per IS 10500: 2012(Rev.2).


Sub Divisional Engineer
Public Health Engineering
Sub. Division Sadhaura

2
9-5-23

From

Lab In charge
DPHL- IDSP Laboratory
Mukund Lal District Civil Hospital
Yamuna Nagar

To

Senior Medical Officer,
CHC Sadhaura.

No. DML/YNR/2023/ 183

Dated: 8-5-23


Subject: Bacteriological Examination of Water Samples


In reference to letter No 414

Dated: 03/05/2023

The report of water samples sent by you is as under: -

Sr. No.	Particulars of water Samples (With Complete Address)	OT Test Report For Chlorine	Test Report of Water for Bacteriological Examination
1.	G.S.S SCHOOL SADHAURA	Present 0.2 (ppm)	No. of collform organisms seen 0 Per 100ml. of water Water quality is Excellent (Class I) Water is fit for human consumption
2	REST HOUSE SADHAURA	Present 0.3 (ppm)	No. of collform organisms seen 0 Per 100ml. of water Water quality is Excellent (Class I) Water is fit for human consumption
3	LUXMI NARAYAN MANDIR SADHAURA	NIL	No. of collform organisms seen 23 Per 100ml. of water Water quality is Unsatisfactory (Class IV) Water is unfit for human consumption
4	BILLU KA STALL SADHAURA	NIL	No. of collform organisms seen 23 Per 100ml. of water Water quality is unsatisfactory (Class IV) Water is unfit for human consumption


Microbiologist
Incharge DPHL- IDSP Laboratory
Mukund Lal District Civil Hospital
(DPHL- IDSP Lab)
Mukund Lal District Civil Hospital
Yamuna Nagar


Principal
G.M.S.S.S.School
Sadhaura (263)

To

The Principal,
G.M.S.S.S.School
Sadhaura

Memo No. 1471 Dated 30-06-2023

Subject: - Regarding issuance of building safety certificate..

Ref:- Your office letter No. 76/2023 dated 07.06.2023.

In this context, it is submitted that the building of GMSSS School at Sadhaura has been inspected by the concerned J.E and observed that the school building is structurally safe.

DA/Nil


Executive Engineer.
Provl.Divn.PWD B&R Br.
Naraingarh

CC to-
SDE PWD B&R Sadhaura wrt his letter No. 805 dt 15.06.2023